Appln No. 10/016,071 Reply to Office action of August 17, 2004

REMARKS/ARGUMENTS

The Office Action dated August 17, 2004, has been reviewed and the comments carefully considered.

In the Office action, various issues and questions are raised concerning the description of the variety. amendments in the accompanying Substitute Specification, Applicant has made a bona fide effort to address all issues and questions.

In view of the foregoing amendment and response, it is believed that the application is in condition for allowance and, accordingly, reconsideration and allowance is earnestly solicited.

If any questions remain regarding the allowability of the application, Applicant would appreciate if the Examiner would advise the undersigned by telephone.

The Commissioner is hereby authorized to charge any fees under 37 CFR 1.16 and 1.17 which may be required by this paper to Deposit Account No. 03-1728. Please show our docket number with any charge or credit to our Deposit Account.

> Respectfully submitted, CHRISTIE, PARKER & HALE, LLP

Cynthia A. Bonner Reg. No. 44,548 626/795-9900

CAB/tt TXT IRV1081563.1-*-11/16/04 3:21 PM

47501/CAB/C614

HYBRID TEA ROSE PLANT NAMED 'BRONZE SUNSET'

CLASSIFICATION

5

15

20

25

The present invention relates to a new Rosa hybrida plant.

VARIETY DENOMINATION

The new plant has the varietal denomination 'BRONZE SUNSET'.

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct variety of rose plant of the hybrid tea rose of the genus Rosaceae which was created by crossing as seed and pollen parents two (2) unknown rose varieties. The varietal denomination of the new variety is 'BRONZE SUNSET'.

SUMMARY OF THE INVENTION

Among the novel characteristics possessed by this new variety which distinguishes it from other varieties of which I am aware, is its orange flowers.

Asexual reproduction by propagation by budding of the new variety onto 'Dr. Huey' rootstock as performed in Wasco, California shows that the foregoing and other distinguishing characteristics come true to form and are established and transmitted through succeeding propagations.

BRIEF DESCRIPTION OF ILLUSTRATION

The accompanying illustration shows typical specimens of the flowers and foliage of the new variety depicted in color as nearly true as it is reasonably possible to make the same in a color illustration of this character.

47501/CAB/C614

DESCRIPTION OF THE NEW VARIETY

The following is a detailed description of 2-year budded plants of the new variety , with color terminology in accordance with The Royal Horticultural Society Colour Chart (RHSCC). The terminology used in color description herein refers to plate numbers in the aforementioned color chart. Phenotypic expression may vary with light availability, environmental and cultural conditions.

The following observations are made of specimens grown 10 outdoors in Wasco, California, during November budded on 'DR HUEY understock.

PLANT

Spreading Form:

Growth: Vigorous; sprawling

Size: Height about 52 inches; width **15**.

about 48 inches

Foliage

Size: Terminal leaflet length about 2

1/2 inches: width about 1 9/16

20 inches

> Quantity: Usually 5 compound leaflet

> > leaves, occasionally compound 7

leaflet leaves

Color

25 New foliage: Upper side near 137B; under side

near 148A

Upper side near 139A; under side Mature foliage:

near 137B

Texture

30 Upper side: Smooth, semi-glossy

> Under side: Matte

47501/CAB/C614

Edge:

Serrated

Petioles:

Top surface color near 138C;

Under side near 138C

Stipules:

Medium length

5

Auricle:

Light red brown near 59C fading

to green near 137B

Rachis:

Few prickles

WOOD

New shoots

10

Bark:

Smooth

Wood:

Near 137C with anthocyanin blush

near 59C

Old wood

Bark:

Lots of prickles

15

Wood:

Near 137D

Flowering stem:

Length about 18 inches

Winter Hardiness:

Completely winter hardy

Preferred growing

conditions:

Likes full sun

20

Growth habit:

Vigorous

Leaves per stem:

About 5

Prickles/Thorns:

Mature wood bear large and small

prickles, average quantity;

about 1/8 inch x 1/8 inch in

size, no localized location with

25

an occasional thorn as large as about % inch, color near 149B

slightly tipped with red at tip,

base near 59A

30 FLOWER/INFLORESCENCE

Blooming Habit:

Recurrent

47501/CAB/C614

About 1 1/4 inches long, 1 1/2 Bud

inches wide

Triangular Form:

Color: Before sepals divide color near

169A; when sepals first divide 5 color near 170B; when petals

begin to unfurl color near 41A

Sepals

Size: Length in relation to bud, about

1 1/4 inches in length, 1/4 inch 10

wide, small extensions, usually

5 sepals per bloom

Topside near 164B; bottom near Color

137C

15 Peduncle

> Length: About 2 1/2 inches,

> > smoothtypically with numerous

small acicular appendages,

slight anthocyanin in

coloration, color near 57B

Strength:

Strong

Color:

Near 148C

flower

Size:

About 4 1/4 inches

25

20

Borne:

Single Usually single with an

occasional cluster

Form:

Relative good form; high

centered; unfurls to loose

ruffled at maturity

30 Petalage: About 25

Petaloids in

47501/CAB/C614

center:

None

Persistence:

Petals do not drop

Fragrance:

Slight

Lasting Quality:

About 2 weeks on plant; about 6

5

days after cutting

Color

During first

2 days:

Inner petals

(at flower center) topside and

10

underside tips near 41A; base

bottom near 19A;

Outer petals

Topside and underside tips near

43A, basebottom near 16C

Base of petals

15

(Point of attachment):

Near 17B

General tonality from .

a distance:

Bronze

Color Change:

Darkens with age, color near 44C

Petals

20

Size:

Length about 1 3/4 inches; width

about 1½ inch

Texture:

Thick, rigid

Shape:

Wide at top, tapered to narrow

bottom, petals reflexed to a

25

point

Arrangement:

Loose around pistils

Appearance:

Satiny

REPRODUCTIVE ORGANS

Arrangement of stamens,

30

Filaments and Anthers:

Near 163B; regularly arranged

around styles, about 100 anthers

47501/CAB/C614

and filaments

Filaments near 162C; Anthers Color:

near 161C

Pollen: Near 168A

Bunched, uneven length 5 Styles:

Color near 16C Stigmas:

Hips/Seed Vessels/Ovaries

0va1 Shape:

Size: About 1/2 inch

Disease Resistance The cultivar exhibits average 10

disease resistance/

susceptability

Near 143B Color:

No seeds Seeds:

47501/CAB/C614

I CLAIM:

A new and distinct Hybrid Tea Rose plant of the variety substantially as shown and described.

47501/CAB/C614

ABSTRACT

A new and distinct Hybrid Tea Rose plant variety with orange flowers.

Ø 013/020

SUBSTITUTE SPECIFICATION (Clean Copy)

47501/CAB/C614

HYBRID TEA ROSE PLANT NAMED 'BRONZE SUNSET'

CLASSIFICATION

10

15

20

25

The present invention relates to a new Rosa hybrida plant.

VARIETY DENOMINATION

5 The new plant has the varietal denomination 'BRONZE SUNSET'.

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct variety of rose plant of the hybrid tea rose of the genus Rosaceae which was created by crossing as seed and pollen parents two (2) unknown rose varieties. The varietal denomination of the new variety is 'BRONZE SUNSET'.

SUMMARY OF THE INVENTION

Among the novel characteristics possessed by this new variety which distinguishes it from other varieties of which I am aware, is its orange flowers.

Asexual reproduction by propagation by budding of the new variety onto 'Dr. Huey' rootstock as performed in Wasco, California shows that the foregoing and other distinguishing characteristics come true to form and are established and transmitted through succeeding propagations.

BRIEF DESCRIPTION OF ILLUSTRATION

The accompanying illustration shows typical specimens of the flowers and foliage of the new variety depicted in color as nearly true as it is reasonably possible to make the same in a color illustration of this character.

47501/CAB/C614

DESCRIPTION OF THE NEW VARIETY

The following is a detailed description of 2-year budded plants of the new variety , with color terminology in accordance with The Royal Horticultural Society Colour Chart (RHSCC). The terminology used in color description herein refers to plate numbers in the aforementioned color chart. Phenotypic expression may vary with light availability, environmental and cultural conditions.

The following observations are made of specimens grown 10 outdoors in Wasco, California, during November budded on 'DR. HUEY understock.

PLANT

5

Form: Spreading

Growth: Vigorous; sprawling

15 Size: Height about 52 inches; width

about 48 inches

Foliage

Size: Terminal leaflet length about 2

1/2 inches; width about 1 9/16

20 inches

> Usually 5 compound leaflet Quantity:

> > leaves, occasionally compound 7

leaflet leaves

Color

25 New foliage: Upper side near 137B; under side

near 148A

Mature foliage: Upper side near 139A; under side

near 137B

Texture

30 Upper side: Smooth, semi-glossy

> Under side: Matte

→ PTO CENTRAL

47501/CAB/C614

Edge:

Serrated

Petioles:

Top surface color near 138C;

Under side near 138C

Stipules:

Medium length

5

Auricle:

Light red brown near 59C fading

to green near 137B

Rachis:

Few prickles

WOOD

New shoots

10

Bark:

Smooth

Balk. Sho

Wood:

Near 137C with anthocyanin blush

near 59C

Old wood

Bark:

Lots of prickles

15

Wood:

Near 137D

Flowering stem:

cowering scent:

Length about 18 inches

Winter Hardiness:

Completely winter hardy

Preferred growing

conditions:

Likes full sun

20

Growth habit:

Vigorous

Leaves per stem:

About 5

Prickles/Thorns:

Mature wood bear large and small

prickles, average quantity;
about 1/8 inch x 1/8 inch in

25

size, with an occasional thorn as large as about % inch, color

near 149B slightly tipped with

red at tip, base near 59A

FLOWER/INFLORESCENCE

30

Blooming Habit:

Recurrent

Bud

About 1 1/4 inches long, 1 1/2

5

10

SUBSTITUTE SPECIFICATION (Clean Copy)

47501/CAB/C614

inches wide

Form: Triangular

Before sepals divide color near Color:

> 169A; when sepals first divide color near 170B; when petals

begin to unfurl color near 41A

Sepals

Size: Length in relation to bud, about

> 1 1/4 inches in length, 1/4 inch wide, small extensions, usually

5 sepals per bloom

Color Topside near 164B; bottom near

137C

Pedunc1e

15 Length: About 2 1/2 inches, typically

> with numerous small acicular appendages, slight anthocyanin

in coloration, color near 57B

Strength:

Strong

20 Color: Near 148C

About 25

Flower

Size: About 4 1/4 inches

Usually single with an Borne:

occasional cluster

25 Relative good form; high Form:

centered; unfurls to loose

ruffled at maturity

Petalage:

Petaloids in

30 center: None

> Persistence: Petals do not drop

47501/CAB/C614

Fragrance:

Slight

Lasting Quality:

About 2 weeks on plant; about 6

days after cutting

Color

5

During first

2 days:

Inner petals (at flower center) topside and

underside tips near 41A; base

near 19A:

10 Outer petals Topside and underside tips near

43A, base near 16C

Base of petals

(Point of attachment):

Near 17B

General tonality from

15 a distance: Bronze

Color Change:

Darkens with age, color near 44C

Petals

Size:

Length about 1 3/4 inches; width

about 1½ inch

20

Texture:

Thick, rigid

Shape:

Wide at top, tapered to narrow

bottom, petals reflexed to a

point

Arrangement:

Loose around pistils

25

Appearance:

Satiny

REPRODUCTIVE ORGANS

Arrangement of stamens,

Filaments and Anthers:

Near 163B; regularly arranged

around styles, about 100 anthers

30

and filaments

Color:

Filaments near 162C; Anthers

47501/CAB/C614

near 161C

Pollen:

Near 168A

Styles:

Bunched, uneven length

Stigmas:

Color near 16C

5

Hips/Seed Vessels/Ovaries

Shape:

Oval

Size:

About 1/2 inch

Disease Resistance The cultivar exhibits average

disease resistance/

10

susceptability

Color:

Near 143B

Seeds:

No seeds

47501/CAB/C614

I CLAIM:

A new and distinct Hybrid Tea Rose plant of the variety substantially as shown and described.

47501/CAB/C614

ABSTRACT

A new and distinct Hybrid Tea Rose plant variety with orange flowers.